

Analysis of the Applicability of 3D Printing Technology in Glass Casting Process

Suocheng Li^{1*}, Xuan Yan¹

¹ Design College, Jilin Art College, Changchun, China

Email Address

13555547030@163.com (Suocheng Li)

*Correspondence: 13555547030@163.com

Received: 10 August 2023; **Accepted:** 22 September 2023; **Published:** 5 December 2023

Abstract:

This paper analyzes the applicability of 3D printing technology in the glass casting process, discussing its use and potential in the field of glass art. This technology provides artists with new degrees of design freedom, enabling them to create complex, intricate, and personalized works. Furthermore, the experimental and iterative nature of 3D printing allows artists greater creative latitude. The use of this technology can also reduce production costs and time. The future of 3D printing in glass casting is promising and filled with potential. As the technology evolves, 3D printing may find broader applications in traditional craftsmanship.

Keywords:

Glass Art, Casting Technology, 3D Printing

1. Introduction

Over the past several decades, influenced by the studio glass movement, glass art has enjoyed widespread dissemination and has been continuously evolving and changing. In this new era, this ancient art form is seeking fresh vitality and inspiration to adapt to the needs and aesthetic sensibilities of modern society. To achieve this goal, it is necessary to continuously explore new forms and research new tools and methods. Among these, one potential technology - 3D printing, is gradually spreading across various fields and receiving increasing attention.

3D printing technology, with its outstanding design flexibility, high precision duplication ability, and rapid prototyping speed, offers endless possibilities for various industries, including the field of glass making. However, the intrusion of 3D printing into the realm of glass art is still a relatively new area, and its applicability in the glass casting process needs further exploration. The goal is to deeply study and understand the potential of 3D printing technology in glass making, and how it can change and shape the future of glass art.

This paper will explore the application of 3D printing technology in glass casting, analyzing its advantages and potential challenges, as well as how this new technology promotes innovation and development in glass art, injecting new vitality. It is hoped that by delving deeply into and understanding this new technology, new pathways for

glass art can be opened up, providing glass artists with new tools and methods, and further promoting the development of glass art.

2. The Problems and Challenges of Existing Glass Casting Process

Despite the fact that glass casting can produce glass works of various shapes and sizes, it relies on manual clay sculpting of the basic prototype during the manufacturing process. The high-quality shaping of the model presents a challenge as manual methods are limited in precision, especially when dealing with smaller models where high-quality treatment of details is hard to achieve. At the same time, effective control over the model's surface flatness and smoothness is difficult to obtain.

Creating special shapes and complex forms such as hollow, porous, thin-walled, and fine skeleton structures manually presents a significant challenge. Even with a basic prototype, transforming it into a glass work through the casting process is still a great challenge, and problems often arise during the moulding process. There are a series of issues that are difficult to solve in the process of flipping silicone moulds, demoulding wax models, and flipping and demoulding refractory plaster moulds.

From the creation of the clay draft of a work to the complete formation of a glass casting work, there are as many as a dozen steps to go through. Any mistake in each link may lead to the failure of the entire work. The production of a work often takes more than a month, and the complexity and time consumption of the operation is huge.

3. Potential Application of 3D Printing Technology in Glass Casting Process

3D printing (also known as additive manufacturing or stereolithography) is a manufacturing technology that can create three-dimensional objects by layering materials. These objects can be defined by digital model files and printed using a dedicated 3D printer.

While there are various 3D printing technologies, their basic principle is the same: creating objects by continuously adding materials layer by layer. By creating a 3D model, these file formats break the model down into a series of thin layers that can be printed layer by layer, and the printer creates the object by spraying or solidifying material layer by layer according to the instructions in the file. After printing, there are usually some post-processing steps needed, such as removing support structures, smoothing surfaces, or applying dyes.

Among the printing materials currently supported by 3D printing, those that can be applied to glass casting include plastics, resins, waxes, and refractory sands. The technology to directly print glass materials is not yet mature at this stage and has not been introduced to the market. These different materials' 3D printed models can play different roles in the replication of casting moulds, thus influencing and changing the process of casting. Glass casting requires the production of corresponding moulds, the source of which is usually through the links of "clay model - silicone mould - wax model - refractory plaster mould". 3D printed models of plastic and resin materials replace the production of clay models. The 3D printed wax model can bypass the early stages and directly get a wax model. The 3D printed refractory sand model can directly serve as a casting mould, replacing the refractory plaster mould.

The application of 3D printing technology in glass making is still in its early stages, but there are already some application methods that can be referred to. For example,

some researchers and artists are using 3D printing technology to create glass works with complex structural forms, which are unachievable in traditional glass-making methods. Additionally, 3D printing can also be used to make casting moulds, providing glass artists with more creative freedom.

4. Advantages of 3D Printing Technology in Enhancing the Quality and Efficiency of Glass Casting Process

4.1. Design Flexibility

3D printing relies on creating a virtual 3D model on a computer. The virtual model possesses the capability for easy adjustment and preview, bringing significant enhancements to the design flexibility of the glass casting process. This includes:

No need for physical manufacturing: Virtual models are digital representations created and edited on a computer, eliminating the need to make actual physical models. Therefore, when adjusting the design, there's no need to remake the model; modifications can simply be made to the virtual model.

Ease of modification and storage: Virtual models can be easily modified, scaled, and arranged. Designers can adjust the virtual model at any time without affecting the original design. Moreover, virtual models can be effortlessly saved on the computer or cloud, and retrieved and modified when needed.

Real-time preview: When modifying the virtual model, designers can see the effects of changes in real-time. Parameters such as color, material, and texture can be assigned to the model, providing a preview of the final outcome of the artwork during the creative stage, thus quickly assessing if the design adjustment meets expectations. This accelerates the iterative process and improves design efficiency.

Collaboration among multiple people: Virtual models can be conveniently shared and collaborated on among different designers and artists. This allows team members to easily view and modify the same model, enhancing collaboration efficiency and reducing communication costs.

Integration with manufacturing process: Virtual models can be directly used for 3D printing or other computer-aided manufacturing technologies. This enables artists to manufacture prototypes before the final product, which can be used to test the design's feasibility, aesthetics, and functionality. This smooths the process from design to manufacturing and reduces potential errors in production. The translation of these virtual models into physical models directly addresses the limitation of manually sculpting complex forms, greatly enhancing design flexibility and personalization of the manufacturing process.

Adopting the technique of 3D printing wax material models brings significant flexibility improvements to glass casting using the lost-wax casting method. Making a work with the lost-wax casting method after copying a refractory plaster mold from a wax model can save a substantial amount of preliminary procedures and steps. At the same time, it can solve the problem of complex form mold flipping and demolding, enabling complex form glass casting to be realized.

By adopting sand mold 3D printing, the complexity of the process is further reduced. Traditional glass casting usually requires a mold, which imposes certain limitations on the complexity and variability of the design. However, 3D printing technology can directly print high-temperature-resistant sand molds. These molds can

withstand temperatures above one thousand degrees and can be directly used for glass casting, reducing several casting steps to the final one or two. This greatly enhances the operability of the casting process and saves cost.

4.2. High Precision Replication Ability

With the advancement of technology, one of the most significant improvements in 3D printing is the increase in precision, allowing 3D printing to almost exactly replicate three-dimensional digital models. 3D printing technology holds several advantages in improving the quality and efficiency of the glass casting process, especially in high precision replication, which includes the following points.

Accurate Design Replication: 3D printing can print directly from computer models, bypassing the complex mold making process. 3D printing technology can fabricate complex shapes and structures that are difficult to achieve using traditional methods. In virtual models, any imaginable shape can be created, regardless of complex geometric shapes or minute texture details. This means that designers can realize more complex, intricate designs without manufacturing limitations. 3D printing can accurately replicate designs, ensuring the precise reproduction of every detail, no matter how complex the design is.

Improving Artwork Quality: 3D printing can enhance the quality of the work through precise material control and design replication. Since 3D printing can avoid the influence of most human factors on the production process, it can further improve the overall quality of the work.

Making Complex Structures: Traditional glass casting might encounter difficulties when making complex structures, but 3D printing technology can effortlessly print a variety of complex structures. By changing the printing materials (such as wax, refractory sand), complex structure prototypes or molds can be used for casting to meet various needs of artists.

4.3. Rapid Prototyping

Glass casting usually requires first making a basic prototype, based on which the required molds for casting are made. 3D printing technology, in enhancing the quality and efficiency of the glass casting process, has the advantage of rapid prototyping, which is mainly reflected in the following aspects.

Rapid Iteration: 3D printing technology allows for quick iterations during the design process. Designers can print models at the preliminary design stage and then adjust based on actual effects, greatly reducing the time from design to final product.

Saving Time and Cost: Compared with the traditional model making process, 3D printing technology can complete the prototype production in a short time, saving both time and manufacturing costs.

Reducing Errors and Waste: Since 3D printing can print directly from computer models, it can avoid waste caused by human errors. When design defects are discovered, the design can be adjusted and reprinted in time, avoiding a lot of material waste.

5. Challenges and Limitations of Implementing 3D Printing Technology in Glass Casting

5.1. Technical Difficulties and Challenges

Although 3D printing technology has great potential and advantages in the process of glass casting, it also faces some technical difficulties and challenges in practical applications.

Printing Materials: Currently, the types of materials available for 3D printing are relatively limited, which to a certain extent restricts the application range of 3D printing technology. For example, some materials with special physical or chemical properties may be difficult to print with 3D printing technology. 3D printing still involves glass casting indirectly, using materials such as resin, wax, and refractory sand, thereby affecting and altering the original process of glass casting. Technology for directly 3D printing with glass material exists but is still in the testing phase and has not been widely deployed in the market.

Printing Size: Currently, most 3D printing devices have relatively small printing sizes. When it comes to large objects, they may not have the capability to print, which could limit the application of 3D printing technology in glass casting. However, large models can be disassembled into multiple smaller models, which are then printed and combined. This method can compensate for the size limitations of 3D printing.

Post-processing and Testing: Products from 3D printing usually require post-processing, such as sanding, cleaning, etc., to remove surface layer lines and achieve satisfactory surface quality and performance. Testing the quality and performance of 3D printed products also requires special tools and methods.

Despite these challenges, with the continuous development and progress of technology, these problems might be solved, allowing 3D printing technology to be applied in a wider range of fields.

5.2. Cost and Accessibility Issues

Equipment Costs: The price of 3D printing equipment is relatively high, especially for high-performance and large-scale printers. This limits the usage and purchasing power of some individual users, small businesses, or startups. Utilizing enterprise-related services requires relatively high usage fees.

Consumables Costs: In addition to the cost of the equipment itself, 3D printing also requires consumables such as printing materials and support materials. The price of some special materials is high, which also increases the cost of printing. At the same time, the selection of printing materials is restricted by the equipment.

Post-Processing Costs: After 3D printing is complete, some post-processing steps are usually needed, such as sanding, cleaning, and dyeing, to obtain the desired surface quality and appearance. These processing steps may require additional material and time investment, increasing the overall costs.

Training and Technical Support Costs: For effective use of 3D printing technology, users need to possess certain technical knowledge and training. Some artists who do not have relevant learning experiences may need to hire professional technicians to digitally model their works, which may require additional training and technical support costs.

Intellectual Property and Licensing Fees: For some patented technologies or special 3D printing methods, it may be necessary to pay intellectual property fees or purchase relevant licenses. This also increases the cost of using specific technologies.

Accessibility and Technical Thresholds: Despite the continuous development and popularization of 3D printing technology, for ordinary users or non-professional practitioners, using 3D printing technology still requires certain technical thresholds. This includes learning design and preprocessing software, preparing and handling files, etc. 3D printing technology relies on three-dimensional digital modeling technology, which has a certain gap from traditional craftsmanship. Most glass artists and traditional craftsmen do not have related technical learning experiences and cannot independently establish and adjust virtual models for printing. Relying on professional modelers to establish models for 3D printing may cause communication issues due to the difference in knowledge systems. Not being familiar with both domains, collaboration has certain difficulties, and there are certain risks to the quality control of the work.

While cost and accessibility issues have to some extent restricted the widespread application of 3D printing technology, with continuous technological progress and intensified market competition, costs are expected to gradually decrease, and the range of equipment and material choices will expand, thereby improving the accessibility of 3D printing technology.

6. Conclusions

In the realm of glass art, 3D printing technology and glass casting process are complementary. This paper analyzed the ways and advantages of introducing 3D printing technology into the glass casting process, and based on practice, it was found that 3D printing technology can effectively compensate for the limitations of the glass casting process, and has the opportunity to explore new formal languages, providing a power source for breaking through the traditional appearance of glass art. The intervention of digital production methods can complement the relative inefficiency and roughness of traditional craftsmanship. While there are certain limiting factors in the current involvement of 3D printing in the glass casting process, they are not prominent. The popularity of directly 3D printing glass materials is only a matter of time, and the use of 3D printing technology to assist glass casting remains a highly advantageous production scheme. This scheme will gradually be adopted by more and more craftsmen and artists for their own work, which is not only limited to use in glass casting process, but also has crucial help for the development of many traditional craftsmanship and even modeling art.

Conflicts of Interest

The authors declare that there is no conflict of interest regarding the publication of this article.

Author Contributions

Conceptualization: Suocheng Li ; Methodology: Yan Xuan; Software: Suocheng Li; Validation: Suocheng Li; Formal analysis: Yan Xuan; Investigation: Yan Xuan; Resources: Suocheng Li; Data Curation: Yan Xuan; Writing – original draft preparation: Suocheng Li; Writing – review and editing: Yan Xuan; Visualization:

Suocheng Li; Supervision: Yan Xuan; Project administration: Suocheng Li ; Funding acquisition: Suocheng Li.

References

- [1] Zheng, Y. The 3D molding method and practical significance of glass products. *Packaging*, 2019, 40(14), 18-24.
Available online: <https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBElcA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [2] Jiang, F. Digital Technology and Casting Glass Forming Process. *Central Academy of Fine Arts*, 2014, J527.3.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C475K0m_zrgu4lQARvep2SAkbl4wwVeJ9RmnJRGnwiiNVkj_XQT33WJ8dqB6CpWYPKeRb8HbkxlfN1CkuIvY6QIB&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBElcA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [3] Gu, Z.Q.; Li, Y.P.; Song, L.; Wang, Y.X. A New Glass 3D Printing Scheme. *Electronic Technology and Software Engineering*, 2017, TP391.73.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iAEhECQAQ9aTiC5BjCgn0RpGfvSoqBLxLbqLxa_jWrhBx5l3FIJm2aq3ykWnXtDik&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBElcA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [4] Wang, J.Z. World Modern Glass Art, 1rd ed.; Publisher: Shijiazhuang, China, 2004; pp. 1-414; ISBN. 9787531023012
- [5] Guan, D.H. On the Creation of Glass Sculpture. *Sculpture*, 2008, J314.9.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKgchrJ08w1e7VSL-HJEdEx3A5HgpiTsgWZQo2LogG56i_j9iQcvH8ezSGysD681NCBNh8It4ByBU&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBElcA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [6] Wu, Y.P. Rhythm of Flow - About Glass Sculpture Casting. *Art Observation*, 2015, 92-95, J314.9.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7ir5D84hng_y4D11vwp0rrtW__WJvJ72WTnbLkWP6PNB6-NtC3-IpVOd0KzA3L5BZj&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBElcA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [7] Wang, Q. Contemporary Growth of Experimental Glass Art. *Shanghai Arts and Crafts*, 2020, 70-71, J527.3.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYlV5Vjs7iy_Rpms2pqwbFRRUtoUImHV7FI9xDOKYNmpaOZ1z

- qln6lrx2oxfYyer5wFTMBum5D&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYIV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBEicA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [8] Keith Cummings. Kiln making techniques for glass art, 1rd ed.; Beijing, China, 2007; pp. 1-176; ISBN. 9787112092345.
- [9] Liu, L.Y. Modern Glass Art Kiln Manufacturing Technology, 1rd ed.; Shenyang, China, 2006; pp. 1-95; ISBN. 9787531438465.
- [10] Xiao, T.; Cheng, X. Modern Glass Art Design, 1rd ed.; Shanghai, China, 2011; pp. 1-137; ISBN. 9787545803747.
- [11] Li, J.; Zhang, X.Y.; Li, Q.L. The Tension of Modernity: The Production and Expression of Glass Art in the 20th Century. *Decoration*, 2022, 17-23, J537.3;TQ171.76.
Available online: https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYIV5Vjs7ioT0BO4yQ4m_mOgeS2ml3UObu0PCC0BDiSmWCJH-4bYZZPPM2qruF09IVv2RDzjxw&uniplatform=NZKPT<https://kns.cnki.net/kcms2/article/abstract?v=3uoqIhG8C44YLTlOAiTRKibYIV5Vjs7iLik5jEcCI09uHa3oBxtWoKSADuXN9f7wiV3vaoOCWK-PuMRgw909o59hSdBBEicA&uniplatform=NZKPT> (accessed on 15 August 2023).
- [12] Wang, Z.Z.; Chen, Y.M. Artistic expression of comprehensive materials, 1rd ed.; Shanghai, China, 2005; pp. 1-99; ISBN. 7810589253, 9787810589253.



© 2023 by the author(s); licensee International Technology and Science Publications (ITS), this work for open access publication is under the Creative Commons Attribution International License (CC BY 4.0). (<http://creativecommons.org/licenses/by/4.0/>)