

Research on Digital Media Industry Driven By 5G and Block Chain Technology

Yingquan Wang^{1,2,*}

¹ Faculty of Creative Industries, City University, Kuala Lumpur, Malaysia

² College of Design and Fine Arts, Qingdao Huanghai University, Qingdao, China

Email Address

wangyq@qdhc.edu.cn (Yingquan Wang)

*Correspondence: wangyq@qdhc.edu.cn

Received: 12 October 2023; **Accepted:** 31 October 2023; **Published:** 15 November 2023

Abstract:

5G (5 Generation) is maximum providing data per second speed (interval) per second average Megabits per Second (Mbps), can 20 gigabits 100 Mbit peak data rate is more significant than faster 4G. 5G is, have a greater capacity. 5G is to support the business ability by multiplying by 100, has been designed to increase network efficiency. 5G is, have a lower than 4G latency. Focus on sharing content-centric networks face a huge range of content requested to provide in Digital Media. How efficiently and safely protect the information network for the upcoming 5Gage is a problem. 5G mobile networks, content-centric block chain-based SHA-256 (Secure Hash Algorithm) programs to address the privacy issue. Also, a block chain ledger of features ensures privacy and access control of the supplier. With the help of miners user selected, the author can be maintained for the public ledger's convenience. The share of low overhead, network delay, and congestion implement green interesting data communications.

Keywords:

Block Chain, 5G, Network, Communication, Mobile Network

1. Introduction

Energy compact data results from comprehensive openness and is used by phones; content ongoing component providers are unevenly passed on. Far edge customers eat up the amount of customer made substance. It is encouraged in the social cloud stage. The arrangement and subtleties of the bleeding edge flexible association, for instance, a 5G network, exceptionally progressed. Much effort has been made to arrange an improvement research network advancement industry and the insightful world fifth-age (5G) flexible trades and organization advancement. 5G is a prominent segment of the influential data planning capacities to fulfill the creating requirement for content. It licenses adaptable association overseers and association gear providers to try to construct the distant association bandwidth. In any case, there are security issues. As customers move to the fast advancement of the Internet media volume, they are delivered, more than anyone moves the aggregate of this. On the off chance that it's

not all that much difficulty, explore the media to impact security. I have people give more thought to their security.

Taking everything into account, no one should be direct to general society. As such, the substance of sensitive data-driven association security is anguishing to address a basic point. The quick advancement of substance scattering on the Internet has revealed a necessity for different association modes. As a rule, web customers will be excited about the information, its zone, its exhibit, and movement what customers have a more supportive way to deal with control a great deal of information. Upgrade the measure of their tendencies, and loosen up and focus on information and work.

5G is a demanding need. To support significant applications, i.e., in the high-repeat millimeter waves acquired by the 5G journeys, a short division past the 30 GHz (Gigahertz) band exercises and the movement signal. A grand plan of the system requires PDAs and Web objections to cover a greater zone of comparative 4G numbers. Emerging countries are pondering activities to reduce the cost of sending establishment. These choices join cloud establishment, securing, meandering, sharing, and reach sharing. Another critical test is the best approach to managing the vital assistance for each square kilometer, the organization's activities. Colossal numbers, for instance, circled and heterogeneous phones, include the attestation 5G network and the new troubles of flexibility. Thinking about the, acknowledge, BlockchainBlockchain can address these troubles and give decentralized, strong and monetarily clever game plans accept a critical work. Despite BlockchainBlockchain advanced money, Bitcoin essential development, blockchain correspondence between secured, incredible, generous and cost-sufficiency (using astute arrangements) to control various players and devices now-seen as a forefront, trustworthy, and successful dissipating. Square chain trade is in the chain block set aside invariably.

2. Related Work

Augmentation of the assortment and video traffic play out a critical concede execution than customer experience of information transmission and association. Considering the (HyperText Transfer Protocol) HTTP-based adaptable streaming development, the media business's reaction, taking into account the introduction of the dynamic affiliation, offers the opportunity of a media significant part to pick the most applicable piece rate [1]. Preparing, the improvement of the media interchanges industry is 5G. For the best breaking point and Quality of Service (QoS) as could sensibly be normal, increase the use of resources to update the target capability of 5G through an extraordinary association [2]. General passionate health contamination, considering the overall clinical consideration system's mutilation, arranged on the planet extending design [3]. Among them, broadcasting and TV organizations on the front line are to give a sensible media substance to the customer. The sentiment of the customer's presence, to the standard media 5-unmistakable instigation by applying the effects of multi-material through, it will, in general, be fortified [4]. Concerning sharp TV broadcasting in the home atmosphere, it affects the customer and gives progressing arranging of equipment and intelligent features [5]. In various applications, the supported unrehearsed equipment, for instance, such game structure, has been passed on overall.

Fifth-Generation (5G) flexible association is needed to be finished by demanding execution targets consigned by the standards leading body of trustees [6]. Appropriately, enormous changes to achieve the ideal level of execution have been

made to the association establishment [7]. Association virtualization work, disseminated processing and programming described the organization, the best introduction and the gainful resource use to ensure the association design uses a couple of huge advances [8]. Progressed limit, expects a critical part in the master media and news source. Since there is an automated industry limit, it has been mentioning execution requirements of consistent video shooting, modifying, General IT amassing, after creation, and will by and large have through and through various properties from scattering [9].

The Digital Media of huge data and promoting the industry, from the viewpoint of data and information the board, affects the Digital Media [10]. Research is still to recognize the locale drew in with the modernized difference in advancing that isn't used by the momentum companion minded academic investigation. Record advancement is to make an open entryway for high ground, develop new data-arranged methods, and modernize display advancement [11]. By isolating comprehension from a ton of data to Machine Learning has been created, it is possible to predict the DSS (Digital Signature Standard) decisions of the assistance and improvement of what might be on the horizon. The component gives a basic impact and smoothes out the affiliation's unique fundamental pattern [12]. Advancement of the corresponding standard's sum needs a quick relationship with be driven by the end customer.

Nevertheless, the point of convergence of interest marks the substance of a significant change. It is proposed to meet the various prerequisites of a segment of the usage cases, which is more than 5G and association [13]. These necessities fuse very strong low-latency correspondence, huge degree machine kind of correspondence and overhauled versatile broadband.

5G association of the standard backbones of a combination of ventures, including PC created reality [14]. Rather than the past time of association, 5G utilizes a complex mechanized advancement, such a big, diverse data various yield, and works at a higher radiofrequency. In the past couple of years, a wide trap of robots has been used by the remote region in a collection of military applications [15]. Generally, there is a wide extent of the business climate, including Blockchain's usage occurrences (BC), which can obliterate the strategy [16]. With the happening to 5G, a traditional convenient association's strategy has moved from network directors for business in a more open system with a segment of the performers. With the objective that the customer determinedly attracts the critical segment of data made to that, spatial components when high radio traffic delivered by current PDAs show the utilization of neighborhood peoples [17].

Consequently, the standard assistance transport procedures may not be adequate to anymore to Beyond Fifth Generation (B5G) structure. With the methodology of square chain advancement, have great confidence around the possibility of self-power character, which is acknowledged to impact how to relate later on for the Internet [18]. Study different pieces of self-power character; there are a couple of pieces of the composition. Contingent upon the Internet gradually, Artificial Intelligence is generally moved towards the model of new progressions for the grounded savvy structures, AI, blockchain stage edge figuring [19]. The association affiliation isn't open, is sporadic. The settlement manager, for instance, such Visa and MasterCard, a significant part of the time, are stood up to with the difficulty of execution of these inaccessible rural domains [20].

3. Materials and Method

3.1. System Architecture

Figure 1 shows the System model represents the architecture. Content providers, miners and blockchain ledger and cloud storage: the entire system, content-centric mobile social network comprises four modules.




Figure 1. System Architecture.

3.1.1. Content Provider

Content providers are concerned about the privacy of his record contains more social. So he needs to develop his own rational public access control policies. Access control can prevent users from not authorized to access the information. Network storage service provider is not always reliable. Access control strategy and encrypted digital recording short, the content provider a designer. Content providers are, in many cases, the mobile network user. Besides, it can apply to read the information of other users.

3.1.2. Miners

Mining refers to the term for adding a block to the Blockchain of Bitcoin. It is easy to understand to deal with transactions that it is the responsibility of the mineworkers were found, sometimes, be added to the public blockchain ledger, it is so. Bitcoin, to secure the evidence of consensus work function of the network. By calculating the hash value that meets the rules, can get the right side of accounting by calculation and operation. Consensus mechanism, profitability, will be fully distributed, and liberalization of the node is required. The function of high-performance data and hardware that army of people to process the continuous function.

3.1.3. Blockchain Ledger

Blockchain is an open, tamper-resistant ledger. Part of a chain can say that is the core of the design system. Blockchain technology, the spread will provide a reliable. All cryptocurrency is used by decomposing the Blockchain. Each user has the same ledger or a node and all other nodes in the network or the user.

Figure 2 shows the Blockchain details below.

Hash: SHA256 Secure Hash Algorithm-256 assessment of the mixed resources. Won't choose to get the information really through the trade, yet the trustworthiness and unflinching nature of the encoded information can check through the hash regard.

Recorded pointer: The veritable accumulating address of the information.

Provider of imprint: modernized characteristic of the substance provider, to choose the data.




Figure 2. Blockchain.

The hash of Merkle root or square header hash assessment of all trades in the square. The square header is used to relate the new square. The last one of the square chain will have the going with ascribes.

$$\text{Hash} \leftarrow \text{Hash} (\text{Tx1.Hash} + \text{Tx2.Hash} + L) \quad (1)$$

Hash of the past page block: Will be used to affirming the past square's hash assessment.

Timestamp: Value is used to record the convenience period of the square. The issue happens when two unmistakable tractors need to add a substitute square to obstruct the chain—the issue by adding a discretionary number after the time stamp. Fewer squares have been needing to be added.

Minor signature: progressed characteristic of the earthmovers. Exactly when the prize is really, it will be used to confirm the personality of the diggers.

3.1.4. Cloud Storage

Information system, cloud computing has become very popular. Cloud, it is possible to provide a space for management and data storage of high-capacity, expand, and build all of the user's record of society. However, cloud computing security is becoming increasingly important. In the cloud computing environment, there is a possibility that the user loses control of their data. To save your encrypted data, use the cloud. The key to the difficulty for the plaintext attacker to retrieve the data. However, the cloud service provider itself will not be able to read the user information.

3.2. Implementation of system model for data secure

3.2.1. Initialisation

All cases contain an intriguing unmistakable verification puzzle key and public key support or keypad of the customer's ID for the customer, While according to the. Keri, the master key is key as you.

$$\text{Keymas} = \text{Hash}(\text{keypri} \parallel \text{IV}) \quad (2)$$

The resolved because the pro key contrasting with the key that identifies with each record is huge. If the key is broken, there is no customer's security. Without a doubt, if the customer neglects to recall their master key, he will have the choice to recalculate his key. Of course, the system will require the diggers of decisions. In the first place, according to the fundamental interests of the customer. Backhoes have been decided to ensure security and sensibility at sporadic. If one customer packs are melded, at any rate, the decision of the minor, subjective, can be picked by the customer.

3.2.2. Encryption of data and move

The customer should move your record, will expect him to encode his first record. In the proposed contrive, the symmetric encryption segment is picked to encode the data. Public key encryption, more secure, trustworthy, and encryption speed is more delayed than standard symmetric encryption. Discussion of scattering, thinking about the qualities of significant worth and customer information if it's all the same to select the last symmetric estimation.

(a) Encryption key calculation.

First, the user creates his own plan encryption record number column.

$$\text{Seq} = \text{IDP Hash}(\text{keypri} \parallel \text{num}) \quad (3)$$

Num exhibits the amount of discretionary encoded information. The hash computation can design any of the length assessments of the more restricted fixed-length matched worth. You, or hash, segment plain substance, change the character and manufacture the different bits of the hash regard. It is computationally infeasible to find two one of a kind commitments of the hash of comparative worth. SEQ is the significance of uncommon customers that the helper mixed ID is excellent. After can get the encryption key

$$\text{Keyser} = \text{Hash}(\text{keymap} \parallel \text{seq}) \quad (4)$$

That is the key to the keyset record corresponding to the sequence of the index value.

(b) Generate the Transaction

Starting there ahead can get the code text message. As shown by the plan, it will regardless require a hash assessment of messes to ensure constancy and consistency. Because of replacement or change vindictive customer figure text information set aside in a visitor and the data owner information, it might be chosen to be strong by differentiating the hash regard. Next, the customer's action is moved, is encoded, and has been recorded in the cloud. The data are amassing pointer information. Because of access control methodology, the customer will have the alternative to develop a fine-grained technique, notice the standards. Finally, it grants customers to package this information and sign in keypress. Total trade will be submitted to the earthmovers.

(c) Adding squares to the Blockchain

The quick and dirty pattern of adding another square to the Blockchain. A social affair of customers submitted to the trade can pick the backhoes to respond from the start. There is a cut-off time for the vote. All of the social customers have before with projecting a voting form rights. Regardless, the one thing to review is that everyone can project a voting form once it is possible. By then, most of the customers who have the votes will be the coal mine workers must-have later on the right. The new module contains the Bit of the trade. The new square is related to the Blockchain by its hash regard. By the day's end, if have to get the principal part of the module, fundamentally need to do what is examining. The hash assessment of the past square header. The current hash assessment of the main square. He is to have the alternative to understand that he has completed the work diggers that have been embraced by the backhoes in his keypress and have been really, similarly, to the new square, we've added another module. Finally, the system will impart another square of additional messages. All various customers will be drawn nearer to avow the new square. At the same time, various diggers, re-make, need to add them to the square to the new module.

Select the miners, add a block to the Blockchain

Input: a set of N in the user's network

Input: one is called the Blockchain of B . BN is the last block in the Blockchain.

Input: T , voting of the deadline

Step 1: the current time $() < T$

Step 2: for each $n \in N$

Step 3: num Of Votes $\leftarrow$ Do Vote $()$;

Step 4: num Of Votes $\in$ vote of for each

Step 5: vote max $\leftarrow$ comparison (num Of Votes);

Step 6: $M \leftarrow$ Select the miners $()$;

Step 7: $BN + 1 \leftarrow$ to get the transformer (α) .

Step 8: $B' \rightarrow$ of additional blocks (M , B , and Bb).

Step 9: FOREACH $n \in N$

Step 10: Broadcast (n)

(d) Decryption and downloading of data

With the responsiveness and straightforwardness of the block chain, all customers will have the alternative to scrutinize the blockchain record's substance. For example, it is information that knows, suggests is the data on the limit region of the substance that is excited about. Nevertheless, this can download the substance of the quick customer base; content is the ciphertext. In any case, are, customers can gain the contrasting deciphering key, just if it can meet the passage control system of the public blockchain record.

Figure 3 shows the If the user is interested in the serial number information of the piece and the sequence. In that case, the applicant's identity attributes will be checked to make sure that they are compliant with the access control policy. The requester will be able to share the data from the miners. Otherwise, he will get the exact storage

location of the record and query the Blockchain to download the ciphertext message. And must have the decryption key keyset the content provider-owned if the request meets the policy, content providers to calculate his key. Besides, the key is encrypted with the key pub of the requester. After that, he is to obtain the keyset; it can be decrypted with his keypress. Access mechanism of these two levels, effectively improving the work efficiency, can reduce the network delay and congestion. It will be able to understand the process to obtain clear information.




Figure 3. Accessing to Content of Users.

3.3. Securing Digital Media Content in Blockchain

The media industry of blockchain technology applications sees great potential for the distribution of media content. It has the potential to change the way content is distributed is consumed.

3.3.1. Security and Resilience

A distributed system, the content owner, can improve information and assets' security to be transmitted over the network. The ability to form distributed ledger technology and a centralized management platform to prevent failure will help provide better protection.

3.3.2. Transparency and Accuracy

Blockchain is the artist who took over the method and the control consume to deliver content like never before. Attracts a lot of video creators than to enter a help video-sharing platform. Better communication ecosystem between the fan and the artist minus obstacle generates the relationship between the direct customers.

3.3.3. Digital Timestamping

Blockchain can be used to avoid the permission to use content theft by using a creative work and digital time stamp method. Digital time stamp, to support traditional notary services, to reduce the participation of a third party. Not only the use of a blockchain, but the entire process will be smooth. Also, all of the parties involved in the conference will help to keep track of all transactions at any time.

3.3.4. Instant Pay-outs

Blockchain using the base content delivery, real-time royalties for the artists will be a reality. Today, people are not willing to compensate them for the need for payment

for sharing a transparent digital media platform, consumers in the direction of work. And what of the technology will not be able to provide better than Blockchain.

4. Result and Discussion

Blockchain technology can be used in a variety of computer and Internet-based applications. One of these applications is a smart contract. Blockchain technology, to realize the smart contract, all of the media, and function as an intermediary for the protocol and programming of information exchange. Then use the Performance and Security in the Media Industry.

Table 1. Simulation Parameters.

Parameters	Values
Simulation Tool	Anaconda Navigation
Language	Python
Processor	Intel Core I5
Model	Media Industry

Table 1 shows the Research on Digital Media Industry Driven By 5g And BlockChain Technology.




Figure 4. Screenshot for Media Industry.

Figure 4 shows the Screenshot for Media Industry.

4.1. Performance Analysis of Media industry




Figure 5. Performance Analysis of Media industry.

Figure 5 shows an analysis of the industry's performance. The performance of the media industry will make the two tests, Pre-Test and Post-Test. The pre-test is the high performance of the media industry compare with the post-test.

4.2. Analysis of Data security in 5G

The guideline substance of the security assessment is how much it is possible to show attacks. If the customer in the association needs to get to the data successfully, he consents to the passageway control methodology to get them looking at translating key keysets. Circumstances are his ruler key keys. The customer is the way into the explanation and the others that have never revealed their character confirmations. If he gives his ruler a key, all of his substance taken care of in the cloud will be circulated.

Table 2. Dataset for Analysis of Data security in 5G.

YEAR OF DATA	PRE-TEST IN %	POST-TEST IN %
2019	23	40
2020	40	58
2021	37	85
2022	60	92

Table 2 shows the Dataset for Analysis of Data security in 5G details below Graph.




Figure 6. Analysis of Data security in 5G.

Figure 6 shows the Analysis of Data Security in 5G. The security level is constantly increasing year wise.

4.3. Compression for Security in the Media Industry




Figure 7. Compression for Security.

Figure 7 shows the Compression for security in the media Industry. Then the Result compares the security Data in year wise after compression SHA-256 Higher than DSS in Security of 2022th Year.

5. Conclusions

As demonstrated by the block chain's substance driven association, a profitable and secure program that can guarantee customer insurance is associated with his data. Moreover, on a very basic level, it reduces the multifaceted idea of key organization in the proposed technique. Just customers who can meet the passageway technique need to get to the mixed data taken care of in the cloud. Similarly, develop fine-grained induction methodologies to give customers better authority over their data. For example, it makes it hard to confine people, yet likewise grows the customer's control information's flexibility while getting to data. Information can be bestowed with the help of diggers. In light of the Blockchain's responsiveness and terrorizing, tractors can check consistency by looking at access control procedures and requesters. As shared information on the associations' centers, tractors can feasibly decrease the blockage level of the chest rate and lessen lethargy. Simultaneously, a green association can be refined in the case can pick a convincing arrangement segment. The undertaking of diggers makes the true technique blue. Yet, in like manner, the assessment program isn't simply guaranteed and gainful, yet close to gives data baffle and can achieve security protection.

Conflicts of Interest

The author declares that there is no conflict of interest regarding the publication of this article.

Funding

This research was funded by the 2022 Shandong Province Undergraduate Teaching Reform Research Project. Building a Blended Teaching Model of "Three-Three Coupling, Six-Step Integration": A Case Study of "Digital Advertising Design" (Z2022018).

References

- [1] A. Martin et al. Network Resource Allocation System for QoE-Aware Delivery of Media Services in 5G Networks. *IEEE Transactions on Broadcasting*, 2018, 64(02).
- [2] C. Burr.; J. Morley.; M. Taddeo.; L. Floridi. Digital Psychiatry: Risks and Opportunities for Public Health and Wellbeing. *IEEE Transactions on Technology and Society*, 2020, 1.
- [3] L. Jalal; M. Anedda;V. Popescu;M. Moroni.QoE Assessment for IoT-Based Multi Sensorial Media Broadcasting. *IEEE Transactions on Broadcasting*, 2018, 64(02).
- [4] N. Jawad.; M. Salih.; J. Cosmas. Media Casting as a Service: Industries Convergence Opportunity and Caching Service for 5G Indoor gNB. *IEEE Transactions on Broadcasting*, 2020, 66(02).
- [5] T. Coughlin. Nine Years of Media and Entertainment Digital Storage Surveys. *SMPTE Motion Imaging Journal*, 2019, 128(07).

- [6] R. Castellano et al. Do Digital and Communication Technologies Improve Smart Ports? A Fuzzy DEA Approach. *IEEE Transactions on Industrial Informatics*, 2019, 15(10).
- [7] A. Miklosik.; N. Evans. Impact of Big Data and Machine Learning on Digital Transformation in Marketing: A Literature Review. *IEEE Access*, 2020, 8.
- [8] A. Miklosik.; M. Kuchta.; N. Evans.; S. Zak. Towards the Adoption of Machine Learning-Based Analytical Tools in Digital Marketing. *IEEE Access*, 2019, 7.
- [9] M. Tahir.; M. H. Habaebi.; M. Dabbagh.; A. Mughees.; A. Ahad.; K. I. Ahmed. A Review on Application of Blockchain in 5G and Beyond Networks: Taxonomy, Field-Trials, Challenges and Opportunities. *IEEE Access*, 2020, 8.
- [10] A. E. Azzaoui.; S. K. Singh.; Y. Pan.; H. Park. Block5GIntell: Blockchain for AI-Enabled 5G Networks. *IEEE Access*, 2020, 8.
- [11] B. Bera.; S. Saha.; A.K. Das.; N. Kumar.; P. Lorenz.; M. Alazab. Blockchain-Envisioned Secure Data Delivery and Collection Scheme for 5G-Based IoT-Enabled Internet of Drones Environment. *IEEE Transactions on Vehicular Technology*, 2020, 69(08).
- [12] K. Valtanen.; J. Backman.; S. Yrjölä. Blockchain-Powered Value Creation in the 5G and Smart Grid Use Cases. *IEEE Access*. 2019, 7.
- [13] B. Nour.; A. Ksentini.; N. Herbaut.; P. A. Frangoudis.; H. Moun gla. A Blockchain-Based Network Slice Broker for 5G Services. *IEEE Networking Letters*, 2019, 1(03).
- [14] R. Pirmagomedov et al. Applying Blockchain Technology for User Incentivization in mmWave-Based Mesh Networks. *IEEE Access*, 2020, 8.
- [15] M. S. Ferdous.; F. Chowdhury.; M. O. Alassafi. In Search of Self-Sovereign Identity Leveraging Blockchain Technology. *IEEE Access*. 2019, 7.
- [16] S. A. Bhat.; I. B. Sofi. Edge Computing and Its Convergence with Blockchain in 5G and Beyond: Security, Challenges, and Opportunities. *IEEE Access*, 2020, 8.
- [17] Y. Hu et al. A Delay-Tolerant Payment Scheme Based on the Ethereum Blockchain. *IEEE Access*, 2019, 7.
- [18] S. Zhang.; J. Lee. A Group Signature and Authentication Scheme for Blockchain-Based Mobile-Edge Computing. *IEEE Internet of Things Journal*, 2020, 7(05).
- [19] Jing, X.; Tang, M.; Liu, J. et al. Research on the intelligent generation method of MBD model 3D marking using predefined features. *Concurrent Engineering*, 2020, 28(3).
- [20] Barbosa, G.F.; Shiki, S.B.; da Silva IB. R. D roadmap for process robotization driven to the digital transformation of the industry 4.0. *Concurrent Engineering*, 2020, 09.



© 2023 by the author(s); licensee International Technology and Science Publications (ITS), this work for open access publication is under the Creative Commons Attribution International License (CC BY 4.0). (<http://creativecommons.org/licenses/by/4.0/>)