

Analysis of the Application of Epoxy Resin Adhesive in Building Structure Design

Siyuan Liu¹, Bihe Jiang¹, Dazhen Li¹, Xianda Shi¹, Na Zhang¹, Jianze Shi¹, Dan Yu¹, Zhihui Zhang^{1*}

¹ Shenyang Research Institute of Chemical Industry, Shenyang, China

Email Address

lsy19840220@163.com (Siyuan Liu), zhangzhihui03@sinochem.com (Zhihui Zhang)

*Correspondence: zhangzhihui03@sinochem.com

Received: 21 December 2023; Accepted: 22 February 2024; Published: 26 March 2024

Abstract:

In recent years, with the continuous development of building structural design, more and more new structural materials and connection methods have been applied in practical engineering. Among them, epoxy resin adhesive, as a new type of structural connecting material, has gradually gained widespread attention due to its advantages such as high strength and durability. This article will start with the concept and characteristics of epoxy resin adhesives, explain their specific applications and advantages in building structural design, and analyze their usage limitations and considerations. Intended to provide reference and inspiration for the application of adhesives in building structural design, and further promote innovation in building structural technology.

Keywords:

Epoxy Resin Adhesive, Building Structure, Specific Applications

1. Introduction

In traditional architectural structural design, welding, bolted connections, and other methods are widely used. However, these traditional methods have significant limitations and cannot meet the needs of lightweight building materials, increased strength, and improved construction efficiency. Therefore, as a new type of structural material, epoxy resin adhesive has many advantages, such as high bonding strength, safety and reliability, and is increasingly valued by building structural designers. Therefore, this article will delve into the application and advantages of epoxy resin adhesives in building structural design, in order to provide reference and inspiration for building structural designers, and promote innovation and development of building structural technology. [1]

2. Concept and Characteristics of Epoxy Resin Adhesive

Epoxy resin adhesive is a common structural adhesive composed of epoxy resin and curing agent, which has high strength, high heat resistance, high adhesive strength, chemical stability, and mechanical properties. The characteristics of epoxy resin adhesive stem from the properties of epoxy resin itself. It is a polymer with high

molecular weight that can form a powerful three-dimensional network structure through cross-linking reactions. When a curing agent is added, the epoxy resin begins to cure, forming a tight cross-linked structure and firmly bonding with the bonding area. Therefore, epoxy resin adhesives can provide excellent bonding performance and strength, suitable for various building structures and industrial applications. The use of epoxy resin adhesive is very convenient, and it can be applied through various methods such as coating, spraying, injection, etc. It is suitable for bonding and repairing various complex building structures and industrial equipment.

3. Application of Epoxy Resin Adhesive in Building Structural Design

3.1. Application in steel structures

In steel structure design, the application of epoxy resin adhesive mainly includes two aspects: connection and reinforcement. In terms of connection, epoxy resin adhesive can replace traditional welding and bolt connection methods. When connecting steel components, the adhesive can be directly applied to the surface of the steel, and then the steel components can be bonded together to form a whole. This connection method has advantages such as convenient construction, high bonding strength, and beautiful appearance, and is gradually being widely used in building structural design. In terms of strengthening, epoxy resin adhesive can improve the bending and torsional stiffness of components by increasing the thickness of steel plates, thereby increasing the load-bearing capacity of the entire structure. In addition, epoxy resin adhesive can also be used to connect steel bars and steel plates in reinforced concrete to enhance the strength and stiffness of reinforced concrete beams and columns. Compared with traditional mechanical connection methods, epoxy resin adhesive has a better strengthening effect and can also improve construction efficiency.

3.2. Application in concrete structures

Epoxy resin adhesive is widely used for repairing and strengthening concrete surfaces. By combining epoxy resin adhesive with specific fillers, it can effectively repair damage, cracking, or hollowing on the surface of concrete, improve the overall performance and durability of concrete. Epoxy resin adhesive can also be used for the bonding of prefabricated concrete components, such as beam plate connections, component assembly, etc. The use of epoxy resin adhesive can achieve tight connections between components, improve the overall stress performance of components, simplify construction processes, and improve engineering efficiency. In addition, epoxy resin adhesives also play an important role in the reinforcement of concrete structures. For example, in the process of reinforcing reinforced concrete beams, epoxy resin adhesive can be used to bond carbon fiber cloth or glass fiber cloth to the surface of concrete, thereby increasing the bearing capacity and ductility of the beam and achieving the purpose of reinforcement.

3.3. Application in glass curtain walls

As a common form of exterior wall in modern architecture, the importance of glass curtain walls lies in providing good lighting effects and beautiful appearance. And epoxy resin adhesive provides reliable support for the design and construction of glass curtain walls through its excellent bonding performance and weather resistance.

Firstly, epoxy resin adhesive can bond multiple glass units together to form a large-area glass curtain wall. This can achieve the absence of traditional metal frame support, thereby increasing the transparency and overall aesthetics of the curtain wall. Meanwhile, the adhesive strength of epoxy resin adhesive is high, which can effectively resist wind and earthquake loads, improve the stability and safety of curtain walls. Secondly, epoxy resin adhesive can also be used to fix and connect glass to supporting structures. By using adhesive, installation without screws or visible connectors can be achieved, thereby increasing the overall aesthetics of glass curtain walls.

4. The Advantages of Epoxy Resin Adhesives in Building Structural Design

4.1. Excellent mechanical properties and strength

Due to the excellent mechanical properties and strength exhibited by epoxy resin adhesives in building structural design, they have become an indispensable and important component in building structural design. Firstly, it has high strength bonding ability and can firmly connect different materials, such as concrete, metal, and glass. In addition, epoxy resin adhesives also have excellent shear resistance, showing outstanding resistance when subjected to shear forces. It can effectively resist the shear force caused by external loads, thereby improving the overall stability of the structure. This shear strength provides additional protection for building structures when facing various mechanical challenges. Whether in large-scale construction projects or small-scale decoration projects, epoxy resin adhesives play an irreplaceable role, providing a stable foundation for the sustainable development and long-term use of building structures.

4.2. Excellent durability and environmental adaptability

Epoxy resin adhesive can withstand the effects of long-term use and environmental changes, and still maintains good adhesion under different climate conditions and temperature changes. This is because it has excellent chemical stability and antioxidant properties. Epoxy resin adhesives also have high waterproof and corrosion resistance, which can resist the erosion of chemicals such as water, acid, and alkali, thereby extending the service life of building structures. This durability and environmental adaptability make epoxy resin adhesives widely used in building structural design, especially in harsh environments such as coastal areas and mountainous areas. It can provide long-lasting support for the structure and will not be damaged or loosened due to changes in the environment.

4.3. Improve structural safety and reliability

One important advantage of epoxy resin adhesive in building structural design is its ability to significantly improve the safety and reliability of the structure. Due to its excellent bonding ability and strength, epoxy resin adhesive can firmly connect different materials such as concrete, metal, and glass, forming a stable overall structure. By improving the safety and reliability of the structure, it provides people with a stable and sustainable living and working space. Whether it is natural disasters such as earthquakes and storms, or long-term use and loads, epoxy resin adhesives can ensure the stability and seismic performance of structures. It can effectively disperse

and transmit loads, prevent structural loosening and damage, thereby improving the overall structural safety.

5. Environmental Conditions

5.1. Environmental conditions

Different environmental conditions can have an impact on the adhesive performance of epoxy resin, such as temperature, humidity, and the presence of chemicals, which can all affect the performance of epoxy resin adhesives. In high temperature or extremely cold environments, epoxy resin adhesives need to have good temperature resistance to ensure that they can maintain stable bonding performance even under extreme temperature conditions. In humid or high humidity environments, epoxy resin adhesives need to have excellent waterproof performance to avoid moisture and reduce bonding strength. In addition, if the building structure is exposed to environments with strong chemical corrosion, such as chemical factories or marine environments. To ensure the long-term stability of the structure, epoxy resin adhesives also need to have corrosion resistance and be able to resist the influence of chemical corrosive substances such as acid and alkali on their bonding performance.

5.2. Material compatibility

In the design of building structures, considering material compatibility is a crucial factor when using epoxy resin adhesives. Due to the fact that building structures are typically composed of various materials such as concrete, metal, glass, ceramics, etc., epoxy resin adhesives must be compatible with these materials to ensure bonding strength and stability. Firstly, epoxy resin adhesives need to have good adhesion properties and be able to effectively form chemical or physical bonds with various material surfaces. Secondly, under temperature changes or stress conditions, different materials may experience slight displacement or deformation, and epoxy resin adhesives should have sufficient flexibility and strength to meet these changes without causing adhesive failure. Thirdly, for special materials such as glass and ceramics, epoxy resin adhesives need to have good shear resistance and high temperature resistance.

5.3. Curing time

Curing time refers to the time it takes for epoxy resin to transition from liquid to solid after construction. The selection of curing time must comprehensively consider multiple aspects. Firstly, construction time is crucial for the progress of building projects. If the curing time of epoxy resin adhesive is too long, it will prolong the construction time and may affect the progress of the entire project. So when choosing adhesives, it is important to pay attention to whether their curing time matches the construction progress. Secondly, in different seasons or regions, the selection of adhesive needs to be adjusted according to the ambient temperature to ensure that it can fully cure in the appropriate time. Because in low temperature environments, the curing time of epoxy resin adhesives is usually longer, while in high temperature environments, it is shorter. In addition, the curing time is also related to the type and thickness of the adhesive material. A thicker adhesive layer usually requires a longer curing time to fully cure. So when choosing epoxy resin adhesive, it is necessary to refer to the curing time data provided by the manufacturer and evaluate and select it based on actual engineering requirements.

6. Conclusions

Epoxy resin adhesives have a wide range of applications and many advantages in building structural design, and are still full of prospects in the future. Moreover, with the continuous advancement of technology and the deepening of research and development, epoxy resin adhesives will continuously improve their performance and applicability, bringing more possibilities and development opportunities to the construction industry, and contributing to the safety, reliability, and sustainable development of building structures. In addition, with the continuous emergence of new materials and processes, epoxy resin adhesives are expected to be combined with other innovative materials to achieve more efficient, lightweight, and intelligent building structural design.

Conflicts of Interest

The authors declare that there is no conflict of interest regarding the publication of this article.

Funding

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

References

- [1] Shao, K.C; Bu, Y.Q; Li, C; Shi, H.Y.; Chen W.J. Preparation of a single component environmentally friendly epoxy resin adhesive. *Chemical Engineer*, 2022.
- [2] Li, M.L. Design and Development of High Performance Epoxy Resin Adhesive. *Chemical Management*, 2017.
- [3] Chen, J. Preparation and Performance Study of Adhesives for Interior Decoration. *Aging and Application of Synthetic Materials*, 2022.
- [4] Cui, B.J.; Chen, W.J.; Song, A.; Li, G.; Geng, Q.S.; Liang, T.S. Preparation and Study of High Temperature Resistant Epoxy Ketone Anhydride Adhesive. *Chemistry and Adhesion*, 2017.
- [5] Xu, D.M.; Li, Z.J.; Li, N.H.; Chen, H. The effect of adhesive on the anti puncture performance of aramid composite materials. *Synthetic Fiber Industry*, 2023.
- [6] Huang, C.L.; Wei, Y.; Wen, Z.P; Zhang, P.P.; Nong, S.Y.; Lu, L.M. Application status and market analysis of adhesives for artificial board industry. *Volkswagen Technology*, 2022.
- [7] Jiang, L.P.; Xue, J.L.; Cao, X.Q.; Li, B.H.; Chen, Z.M.; Wang, H. Preparation and properties of modified silicate adhesive. *Heilongjiang Science*, 2023.
- [8] Shen, R.J.; Hu, R.; Chen, Z.S.; Reflection on the development of formaldehyde free adhesive technology and formaldehyde free artificial boards in China. *Contemporary Chemical Research*, 2022.
- [9] Huang, S.M.; Wang, X.C.; Liu, X.H.; Shao Q.T. The current situation and development trend of adhesives for luggage in China (continued). *China Leather*, 2022.

- [10]Zhai, B.L.; Li, W.K.; Zhou, B.N.; Fu L.P.; The effect of sample size on the lap shear fatigue of thick layer adhesive. *Tianjin Technology*, 2021.



© 2024 by the author(s); licensee International Technology and Science Publications (ITS), this work for open access publication is under the Creative Commons Attribution International License (CC BY 4.0). (<http://creativecommons.org/licenses/by/4.0/>)